	Application No.	Applicant(s)
Notice of Allowability	10/633,095	BENNETT, GEORGE J.
	Examiner	Art Unit
	Mark Blouin	2627
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. ☑ The allowed claim(s) is/are <u>1-18</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ☐ Examiner's Amendi	te
Paper No./Mail Date <u>7/31/03 & 8/3/05</u>		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	_	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/633,095 Page 2

Art Unit: 2627

Detailed Action

Reasons for Allowance

- 1. Claims 1-18 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

This application is for a disk drive.

- Claim 1 specifies a disk drive, which requires:
- "...a PWM controller for generating the PWM control signals applied to the driver switches in response to the PWM timing signals, wherein the command to timing block, PWM controller, driver switches, and voice coil comprise a plant transfer function; a current detector for detecting a current flowing through the voice coil, a plant model comprising a model transfer function for generating the estimated state of the VCM in response to the detected current flowing through the voice coil; and a correction block, responsive to the detected current, for adjusting the PWM timing signals so that the plant transfer function substantially matches the model transfer function."

These features, in combination with the other features of Claim 1, are not anticipated by, nor made obvious over, the prior art of record.

- Claim 10 specifies a disk drive, which requires:
- "...adjusting the PWM timing signals in response to the detected current so that a plant transfer function of the VCM and driver switches substantially matches a model transfer function."

These features, in combination with the other features of Claim 10, are not anticipated by, nor made obvious over, the prior art of record.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/633,095 Page 3

Art Unit: 2627

4. The closest prior art is Hunter (US 6,097,564) but does not show adjusting the PWM timing signals in response to the detected current so that a plant transfer function of the VCM

and driver switches substantially matches a model transfer function.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mark Blouin whose telephone number is 571-272-7583. The

examiner can normally be reached on M-F from 6:00 to 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ms. Hoa Nguyen, can be reached on 571-272-7579. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark Blouin Patent Examiner Art Unit 2627 November 6, 2006

UPERVISORY PATENT EXAMI

ECHNOLOGY CENTER